



KODIAK

by THERMORY®

THE MOST RUGGED BOARD IN THE FOREST.



A Little Rugged.

A Little Wild.

A Lot Of Board.

In the islands of an Alaskan archipelago, the Kodiak bear rules the forest. The largest of the brown bears, Kodiak roams the wild, hunting, foraging and protecting his home. An encounter with a Kodiak bear is sure to astonish, as its sheer size dwarfs its rugged surroundings.

Kodiak by Thermory combines a natural look and feel with impressive size and unequalled durability, for a bold real wood board that rules the forest.

KODIAK SPRUCE DECKING AND CLADDING - WIDE AND RUGGED.

KODIAK





WIDE AND RUGGED KODIAK.

Kodiak gives your project the bold allure of the wilderness. Knotted spruce boards retain their natural appeal, while their extra-wide size allows for faster installation. The brushed texture adds ruggedness without sacrificing the refined look you crave.

- ▶ 1 x 8 cladding boards for modern lines with fewer seams
- ▶ 5/4 x 8 decking boards, extra-wide for fast installation
- ▶ Brushed for rustic texture
- ▶ Thermally modified spruce for 25+ years of rot resistance
- ▶ Can be installed with hidden clips (no visible screws!)



ROT RESISTANCE

25+ years of rot resistance



STABILITY

Reduced absorbency



DISTINCTIVE KNOTS

The unmistakable look of spruce at its best



SUSTAINABLE

Responsibly harvested and chemical-free



TERMITE

No bugs allowed




THERMALLY MODIFIED

Naturally enhanced using only heat & steam



THE LOOK OF THE WILDERNESS, THE
SOPHISTICATED PERFORMANCE YOU NEED.

The stunning knotted spruce, wide boards, and rugged brushed texture provide a bold back-to-nature look that's bound to be noticed. Unlike other softwood products, Thermory's thermal modification process ensures there's no visible sapwood – just the consistent color of heartwood from edge to edge.



1 X 8 CLADDING – GROOVED C15 (JEM)

APPLICATION: **CLADDING**

USE: **INTERIOR, EXTERIOR**

SPECIES: **SPRUCE**

THICKNESS: **.79**

WIDTH: **7.3**

COVERAGE: **6.9**

INSTALL METHOD: **60mm FG SCREW**

TEXTURE: **BRUSHED**

FINISH: **UNFINISHED**



1 X 9 CLADDING – GROOVED C15 (JEM)

APPLICATION: **CLADDING**

USE: **INTERIOR, EXTERIOR**

SPECIES: **SPRUCE**

THICKNESS: **.79**

WIDTH: **8.3**

COVERAGE: **7.9**

INSTALL METHOD: **60mm FG SCREW**

TEXTURE: **BRUSHED**

FINISH: **UNFINISHED**



5/4 X 8 DECKING – GROOVED

APPLICATION: **DECKING**

USE: **EXTERIOR, INTERIOR**

SPECIES: **SPRUCE**

THICKNESS: **1.02**

WIDTH: **7.3**

COVERAGE: **7.3**

INSTALL METHOD: **PC HIDDEN CLIP**

TEXTURE: **BRUSHED**

FINISH: **UNFINISHED**



5/4 X 8 DECKING – NO GROOVE

APPLICATION: **DECKING**

USE: **EXTERIOR, INTERIOR**

SPECIES: **SPRUCE**

THICKNESS: **1.02**

WIDTH: **7.3**

COVERAGE: **7.3**

INSTALL METHOD: **60mm FG SCREW**

TEXTURE: **BRUSHED**

FINISH: **UNFINISHED**







Enhancing environments through functional design.

REAL WOOD PRODUCTS WITH BEAUTY AND
STABILITY TO THE CORE.

Thermory is the union of science and design. Decking, cladding and porch flooring with unequalled longevity and lasting natural beauty. When you don't want to settle, you want Thermory.



THERMORY®
LEAVE A LASTING IMPACT



HAVE QUESTIONS? Give us a call.



THERMORY®
LEAVE A LASTING IMPACT

[ThermoryUSA.com](https://www.thermoryusa.com)

BUFFALO

support@thermoryusa.com

P: 585.250.4074 • F: 847.256.0509

56 Harvester Avenue, Suite 1-201

Batavia, NY 14020

CHICAGO

support@thermoryusa.com

1213 Wilmette Avenue, Unit #208

Wilmette, IL 60091

DENVER

support@thermoryusa.com

P: 720.759.7268 • F: 847.256.0509

537 W. Highlands Ranch Pkwy, Unit #114

Highlands Ranch, CO 80129